	Application No.	Applicant(s)	
			(Em)
Notice of Allowability	10/780,520 Examiner	HOLLY, SANDOR Art Unit	<u> </u>
-	Tho G. Phan	2821	
The MAILING DATE of this communication appearable communication by the applicant. See 37 CFR 1.313 1. This communication is responsive to a filing date of 2/16/04	ars on the cover sheet with the co (OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to and MPEP 1308.	prrespondence addre plication. If not include will be mailed in due of	d course. THIS
 2. ☑ The allowed claim(s) is/are <u>1-21</u> .	•		
 3. ☑ The drawings filed on <u>16 February 2004</u> are accepted by th	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 5/28/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary Paper No./Mail Dat 7. ☒ Examiner's Amendn 8. ☒ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	·
		Tho G Phan Primary Examiner Art Unit: 2821	

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.

The application has been amended as follows:

In the claims:

Claim 14, line 28, "at" has been inserted before - least--.

Allowable Subject Matter

2. The following is a statement of reasons for the indication of allowable subject matter:

Claim 1 is allowable over the art of record because the prior art does not teach a two-dimensional dual-frequency antenna comprising each nonlinear resonant circuit interconnecting at least two of the plurality of dipole antennas and configured to permit re-radiation of signals having the third frequency over the effective length, and in combination with the remaining claimed limitations.

Claim 14 is allowable over the art of record because the prior art does not teach a method of down-converting at least first and second electromagnetic radiation frequencies comprising converting the first and second frequencies to the difference frequency through a nonlinear resonant circuit coupling the at least two dipole antennas, transmitting an electromagnetic beam

Art Unit: 2821

at the difference frequency from the coupled at least two dipole antennas, and in combination with the remaining claimed limitations.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents to Hannan, Gautier et al, Holly, Snyder and Edenhofer et al are cited as of interested and illustrated a similar structure to a two-dimensional dual-frequency antenna assembly.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tho G. Phan whose telephone number is 571-272-1826. The examiner can normally be reached on M-F, 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571-272-1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tho G Phan Primary Examiner Art Unit 2821